WildCAD System Administrator Guide

Version 6.0.13

Bighorn Information Systems
May 2015

WildCAD6 System Administrator Guide

TABLE OF CONTENTS

WildCAD6 System Administrator Guide

TABLE OF CONTENTS

INTRODUCTION

The purpose of this document is to assist the System Administrator with the initial setup and subsequent maintenance of WildCAD. Dispatchers who will use WildCAD should refer to the WildCAD User Guide for information on how to operate the software.

The Guide follows the System Administrator Menu (Sys Admin). The Sys Admin menu will not be visible unless you have entered the Supervisory password, as explained under Center Operations.

These menu items are in the order you normally follow as you prepare WildCAD for your use

If you follow this Guide and perform the steps in the order listed, you should have no trouble.

Overview of WildCAD6

In WildCAD versions through 5.0, your data – information about Resources, Incidents, Daily Log, etc. – were stored in a Microsoft Access database (WildCAD.mdb). Access is Microsoft's low end database. Their higher end database, Microsoft SQL Server, offers increased stability and security. ("SQL" stands for Structured Query Language".)

In order to address security concerns, the Department of Interior's Office of Wildland Fire (OWF) placed a contract order to upgrade all existing site licenses to WildCAD6, which was built using SQL Server. That change, moving from Access to SQL Server, is one of the two major changes in WildCAD6.

The other is that Bighorn has enhanced WildCAD6 to communicate with IRWIN (Integrated Reporting of Wildland fire INformation), a project managed by OWF described as "an end–to–end fire reporting capability that provides an integrated and coordinated process for collecting and reporting incident/event data."

Other than those two changes, you should see a common interface and features between WildCAD5 and WildCAD6.

SQL Server Details

WildCAD6 uses a version of SQL Server called "SQL Server 2008 R2 Express", which avoids the complex database management requirements of the more complicated versions. Whereas Microsoft Access allows users and applications to connect to a file, SQL Server uses a different approach.

SQL Server runs on your WildCAD Server (a PC or actual server, generally in dispatch, also known as "WildCAD Base Computer") and allows other computers on your Local Area Network to connect through it to your new database. When any user starts WildCAD6, it looks for SQL Server on the network. First time users will be prompted to tell WildCAD6 the IP Address or Machine Name of the computer hosting SQL Server.

Installation

The initial installation of your WildCAD6 SQL Server will most likely be completed by your IT staff. Bighorn has prepared scripts which install SQL Server and prepare other files.

The script contains the following components:
- Prepare a WildCAD Base Computer for a WildCAD5 to WildCAD6 database migration
- Install a "named instance" of SQL Server 2008 R2 express, called WILDCADSQL
- Install WildCAD Workstation 6 on a WildCAD Base Computer
- Install WildCADservice – a Windows Service
- Migrate WildCAD5 data from the current Microsoft Access database (WildCAD.mdb) into your new SQL Server database.
- Install WildCAD6 Client Software on client PC or Laptop
- Test the communication of the client software to new SQL server database

You no longer need to worry about where the physical database file is stored. SQL Server handles that for you.

Workstation Setup

SetupWildCAD6Workstation.exe and SetupWildPDF.exe both need to be run on each workstation that is going to run WildCAD6. You will find SetupWildCAD6Workstation.exe in the WorkstationSetup6 folder. Copy that *folder* to the desktop of the machine you are setting up, and then run both files as elevated or as Administrator (as appropriate for your agency).

Repair and Compact Database

You no longer need to perform Repair and Compact Database!

Creating a Training Copy of WildCAD

Many Centers using WildCAD create a copy of WildCAD and make it available for training purposes. Dispatchers can practice using WildCAD without impacting actual Center operations. As your IT staff to do this during your installation, or contact Bighorn for assistance later.

Utilities => IRWIN Status & About WildCAD

To check to see if your center is running the most current version of WildCAD you can use Utilities => About.

If you suspect WildCADservice is not running, you can use Utilities => IRWIN Status:

This screen tells you the last time your WildCADservice looked at your SQL Server database. It also tells you the last time WildCADservice connected to Bighorn's WildCAD Integration Server. Submit a Service Request if you suspect problems.

For Assistance

Please feel free to contact Bighorn Information Systems at any time as you work with WildCAD. The best way to reach us is always through the WildCAD Support site: **http://wildcadsupport.net/**

SUPERVISORY MODE

File Menu

File => Enter Supervisory Mode

Enter the Supervisory Mode, which causes the System Administration (Sys Admin) menu to become visible. Note: WildCAD automatically exits you from Supervisory Mode after 10 minutes of inactivity.

CENTER OPERATIONS

Center Information

Sys Admin => Center Operations => Center Information

Much initial setup information is entered on this screen

Dispatch Center ID Enter the dispatch center identifier (e.g. CA-FICC).

Official Center ID Enter the dispatch center official identifier (e.g. CASBCC) ending with a "C".

Default Unit ID Enter the brief Unit identifier for the unit in your Center which will have the most frequent Incidents in WildCAD (e.g. BDF).

Center Name Enter the name of the center.

Center is a GACC Only check you are a GACC.

Sys Admin Password Enter the Supervisory password.

Sub Admin Password Enter the Sub-Supervisory password.

Implement Dispatcher Password Check this to require a dispatcher password.

SWFRS Interface (only Southern Sierra Units) Check to enable the upload to SWFRS.

Other Specific Centers
- **AZ State Info** Check to enable the special data entry for Arizona State Lands Department.
- **RADCOM** Check to enable the interface with the RADCOM law enforcement system.
- **Close Send Screen** Choice only if using the RADCOM interface.

IRWIN Interface (*once you make a selection it cannot be changed*)
- Disable: This button disables WildCAD6 from IRWIN interface.
- Enabled to TEST sites only: This button connects your WildCAD6 to the IRWIN Operational Acceptance Testing site to test the IRWIN interface.
- Fully Enable to PRODUCTION sites: This bottom connects your WildCAD6 with the full IRWIN Production site. This is the normal setting.

<u>**When done entering data on this form, close it with the "x" in the top right corner.**</u>

Configure WildCAD

Sys Admin => Center Operations => Configure WildCAD

System Administrator Choices:

- **Allow Edit of Status Date/Time On Incidents** If you check this box, your Dispatchers will be able to edit status date and times on Incidents.

- **Allow Edit of Daily Log Entries** If you check this box, your Dispatchers will be able to edit the Daily Log entries.

- **Allow Edit of Incident IC Tab** If you check this box, your Dispatchers will be able to edit the IC Tab on Incidents.

- **Allow Edit of Incident Log** If you check this box, your Dispatchers will be able to edit Incident Log entries.

- **Allow Removal of Resource from Incident** Check to allow Dispatchers to remove resource(s) from an Incident, and delete all Action History for those resource(s).

- **Block Format Incident Log** Check to indent Incident Log Details (comments) blocked in line with the Details column heading.

- **Allow Changing Incident Dispatcher** Check to allow.

- **Show Resource Groups on F7 Status** Checking this will add group headers (e.g. "Engines") to the Resource Status screen.

- **Show New L.E. Button on F7 Status** Checking this will display a "NEW L.E." button when a resource is selected on the Resource Status screen

- **Allow F11 New LE** Check to enable the F11 key.

- **Incident Reports Show Timer Details** Check to have the Incident Report show all timer details for timers associated with the Incident.

- **UseWildShare** Uncheck to disable WildShare, helpful if remote server is down.

Incident Log Wrap and Daily Log Wrap use the sliders to set the number of characters before wrapping to the next line. Use DEF buttons to restore the default settings.

Numbers:

- **Unit(s)** Automatically load base on the information entry under Sys Admin -> Resources -> Units

- **Last Incident #** For each group of units, enter the last incident number. The next incident number assigned by WildCAD will be this number plus one, and the number will then be automatically incremented. This is where you reset the Incident Numbers at the start of the year by entering 0 here so that the next number assigned will be 1.

- **Fire # By Center or Unit Select** By selecting Center the Fire # will be assigned by Center; by selecting the Unit the Fire # will be assigned by Units identified in the information entry under Sys Admin -> Resources -> Units.

- **Last Center Fire #** WildCAD allows Fire Numbers to be assigned in sequence. Set the last used Fire Number here. Reset to 0 annually.

Number of Response Levels Used: Set the # of Response levels used in the Center.

Who Responds First From a Station? Tell WildCAD which Resources at a station should go first – those normally based there, or those visiting.

Lat/Lon Format for Incident Reports: Choose the desired format.

Incident Report Shows Resource Response Details: Select the desired approach.

Columns on Resource Status Screen (default 5): Change the default number 5 if you find that you need fewer, but wider, columns on the F7 screen in order to display the entire Resource ID.

F9 New Incident Type: Choose the Incident Type to be selected (by default) when starting a new Incident.

Auto Timer for LE: Check to automatically start a new timer when a Law Enforcement Officer is placed in the status indicated in the box **LE Timer When.**

When done entering data on this form, close it with the "x" in the top right corner.

Phone List Categories

**Sys Admin => Center Operations =>
Phone List Categories**

WildCAD's phone directory allows you to
enter phone numbers and addresses for
all kinds of people, offices, and vendors.

As you enter information for a person, it
might be useful to indicate the office that
person is from, the type of position,
agency, etc. We calls these "phone list
categories".

In the example
shown above, the
System
Administrator has
created three phone
list categories:
Personnel, Offices,
and Cooperators.
Whenever a record
(person) is added to
the phone directory,
that person can be
specified as being,
e.g. "Fire" personnel
at the "Hume Lake
District".

Create these
categories by
entering a category
name in the top box,
and then typing a
selection for that
category below the
list, and finally
clicking the "Save"
button.

Dispatchers

Edit Dispatchers

Sys Admin => Center Operations => Dispatchers => Edit Dispatchers

WildCAD allows you to create a list of dispatchers, and indicate the dispatcher for each Incident.

Enter the Dispatcher's full name and initials.

Select a Unit: If you do that, then each time that Dispatcher starts a new Incident, that Unit will be assigned.

Sequence numbers here, and throughout WildCAD, are used merely to control the order in which items appear later in the software.

Select a "QBColor" to specify the color in which this dispatcher's Incidents will be listed on the F8 Incident screen.

Italics: File-Preferences lets each user determine how Open Incidents (F8) are colored. If "By Dispatcher" is selected, then the Incident will be italicized if Italics is set to TRUE for that Dispatcher.

LE Authorized Set TRUE if dispatcher is authorized to view and manage Law Enforcement Incidents.

Turn a Dispatcher's Active Status to "False" if he or she leaves the Center. You can edit the entries of this table but for archival reasons you cannot delete an entry.

WindowsUser: Enter the user's Windows login, and that user will be automatically logged into WildCAD6 when starting.

The printer icon at the top left of many of these forms may be used to prepare a printable report. Click on it and you will see:

Click again on the printer icon at the top of this screen and the report will be sent to the printer.

Note that the name of the text file containing this report is shown at the top of the form. The "ID" column in this report is a hidden field in the database, and is a "record number" for your dispatchers.

Reset Dispatcher Password

Sys Admin => Center Operations => Dispatchers => Reset Dispatcher Password

Dispatcher Time Categories

WildCAD allows you to track Dispatcher hours spent on various activities. To do so, first create a list of those activities you want to track:

Sys Admin => Center Operations => Dispatchers => Dispatcher Time Categories


Describe is the entry of the activities to being preform.

Sequence numbers here, and throughout WildCAD, are used merely to control the order in which

**Purged** Set TRUE to eliminate this Time Category.

Sub Administrator Access

Sys Admin => Center Operations => Dispatchers =>Sub Administrator Access

Sys Admin	Edit	Incidents	View	Links	Reports	Utilities
Center Operations ▶		Center Information				
Resources ▶		Configure WildCAD				
Response Areas ▶		Phone List Categories				
Dispatch ▶		Dispatchers ▶				
Configure Incident Tabs ▶		Sub Administrator Access				
Maps ▶		Edit Links Menu				
Imports ▶		Whiteboard Categories				
Information Sharing ▶		Daily Log Categories				
Database Management ▶		Edit RAWS Stations				
		Text/Email ▶				

Sub Administrator Access _ □ X

| Describe	Allow
Auto Backups	FALSE
Lightning	FALSE
WildWeb	FALSE
WildShare	FALSE
Sub Units	FALSE
Word Processing Documents	FALSE
Browser Sites	FALSE
Phone List Categories	FALSE
Contracts	FALSE
Dispatchers	FALSE
Reset Dispatcher Password	FALSE
Whiteboard Categories	FALSE
RAWS Stations	FALSE
Pager Email Addresses	FALSE
Retrieve Updated VOR List	FALSE
Retrieve RAWS Stations	FALSE
Agencies	FALSE
Dispatch Locations	FALSE
LineUp Groups	FALSE
Resource Types	FALSE
Resources	FALSE
Rotation Builder	FALSE
FDRAs	FALSE
Response Areas	FALSE

Will allow access to a subset of the Sys Admin menu items including but not limited to:
- Managing Backups
- Lightning
- Phone list

Edit Links Menu

**Sys Admin => Center Operations => Edit Links Menu**

In the "Add New" block, you can add new Groups (categories for the menu), Web URLs, or Files accessible from the workstations. Use "Edit Existing" to edit menu items.

Change the order of items on the Links menu with "Move Up" and "Move Down".

Whiteboard Categories

Sys Admin => Center Operations => Whiteboard Categories

Create the categories you want to display on your Whiteboard dropdown menu. If you want EVERY whiteboard entry in a certain category to show on WildWeb, change "OnWildWeb" to TRUE. Caution – you will then want to be careful about what information goes into the Whiteboard!

Daily Log Categories

Sys Admin => Center Operations => Daily Log Categories

Create the categories you want to display on your Whiteboard dropdown menu. Note: do not change the "General" category – it is where WildCAD posts many items such as Incident and Resource information.

Set Active to False to discontinue the use of a Category

Edit RAWS Stations

**Sys Admin => Center Operations => Edit RAWS Stations**

This list of RAWS stations is used by WildCAD to display closest weather from three locations: WX button on the map, WX button on an Incident, and View => Weather.

Text/Email

Configure Text/Email

Sys Admin => Center Operations => Text/Email =>Configure Text/Email

Email Server Type:
- WildCAD Default, no authentication
- XX-XXX@WildCAD.us email provided by Bighorn
- Customized Email Server
- WildCAD Integration Server Email

**Default Cell Carrier Email Domain:** enter the default Email Domain.

When done entering data on this form, close it with the **"x"** in the top right corner.

Edit Text/Email Addresses

Sys Admin => Center Operations => Text/Email =>Edit Text/Email Addresses

WildCAD allows dispatchers to send emails from the Utilities Menu. As System Administrator, you create a list of names and email addresses.

Reminder – you must enter a valid "SMTP Server Address" and "From" email address on the Center Information screen for WildCAD to be able to send emails.

EmailName	EmailAddress
Brian Booher	bbooher@bighorn.info
Aaron Gelobter	agelobter@bighorn.info
Jim Bailey	jbailey@bighorn.info
Ray Nichol	rnichol@bighorn.info
Pete Masiel	pmasiel@bighorn.info

Edit Groups

Sys Admin => Center Operations => Text/Email =>Edit Groups

To make it easier to send Email/text messages to groups of people, you may create named Groups ahead of time. Type a group name in the bottom left and click "Save". Then, select the Group from the list in the top left, and select those Email Addresses to be included.

Edit Preset Messages

Sys Admin => Center Operations => Text/Email =>Edit Preset Messages

Enter the SUBJECT followed by a colon, then the body of the message. In the body, you put a question mark wherever you want the user to fill something in.

RESOURCES

Units

Sys Admin => Resources => Units

Unit Code – for each Unit, enter a complete description.

**Incidents** – - Does your Center handle incidents for this agency? If so, select "TRUE". If not, leave it showing "FALSE".

	Unit Code	Describe	Incidents	IncNumSet	StateCode	LastFireNum	NWCG	Agency
▶	SQF	Sequoia NF	True	0	CA		CASQF	USFS
	SNF	Sierra NF	False	0	CA		CASNF	USFS
	KNP	Sequoia & Kings NP	False	0	CA		CAKNP	NPS
	FKU	Fresno Unit -CalFire	False	0	CA		CAFKU	State
	TUU	Tulare Unit -CalFire	False	0	CA		CATUU	State
	INF	Inyo NF	False	0	CA		CAINF	USFS
	AFV	Vandanbeg	False	0	CA		CAAFV	USFS
✳								

IncNumSet – controls how Incident numbers are assigned. Agencies which share a common incident numbering system are all assigned to the same Incident Number Set. Suppose the SQF, and KNP units each need their own sequential numbering block. In that case, specify "0" for one agency, and "1" for another. Although it is traditional to use separate blocks of numbers, and to rely on the number itself as a count of incidents, it is strongly recommended that you break from that tradition and use a single block of numbers for all agencies in your center. Reports from WildCAD will give you the desired incident counts, so you can stop relying on the actual Incident number. It becomes problematic in WildCAD when you, for example, need to "void" an incident.

StateCode – add a state identifier to Incidents for this Agency in various WildCAD reports.

LastFireNum – Set last fire number assigned.

NWCG – Enter the official 5-6 character NWCG Unit ID for each of your Units.

Agency – For each Unit, use the pull down menu to select the Agency.

Sub Units

Sys Admin =>Resources => Sub Units

Forest Service uses Sub Units to identify the Districts for purposes of tracking the fires occurring on the District on the Fires tab of the Incident screen. Remember to reset the Last Fire Number at the beginning of the New Year, put a zero in the "Last Fire #" column.

Dispatch Locations

Sys Admin => Resources => Dispatch Locations

Enter an Initial Dispatch Location (IDL) code, a Description, the Latitude and Longitude.

Enter a Comment for future reference.

You may enter the latitude and longitude in many different formats. WildCAD uses a comma to separate degrees, minutes, and seconds. A decimal is used to enter decimal values. Examples:

39.5 means 39 and one half degrees (39 degrees 30 minutes)
39,15.5 means 39 degrees, 15.5 minutes (39 deg, 15 min, 30 sec)
39,15,30 means 39 degrees, 15 minutes, and 30 seconds

Describe	Lat	Lon	Comment	AutoRoute	EarthUse	IDLCode
Pinehurst Station	36.6965	119.0165	SQF	FALSE	FALSE	PINE
Hume Lake Dirstict Office	36.7589	119.1644	SQF	FALSE	FALSE	HUME
Lakeshore Station	36.7933	118.9059	SQF	FALSE	FALSE	LAKE
Ash Mtn. Station	36.4955	118.8175	KNP	FALSE	FALSE	ASH
Cedar Grove Station	36.792	118.675	KNP	FALSE	FALSE	CEDAR
Grant Grove Station	36.7391	118.9603	KNP	FALSE	FALSE	GRANT
Lodgepole Station	36.6044	118.7265	KNP	FALSE	FALSE	LODGE
Trimmer Station	36.9102	119.3026	SNF	FALSE	FALSE	TRIM
Miramonte Station	36.67	119.0744	FKU	FALSE	FALSE	MIRA
Squaw Valley Staton	36.7485	119.2221	FKU	FALSE	FALSE	SQUAW
Sand Creek Station	36.685	119.1645	FKU	FALSE	FALSE	SAND
Piedra Station	36.815	119.3805	FKU	FALSE	FALSE	PIE
Badger Station	36.6469	119.0137	TUU	FALSE	FALSE	BAD
Woodlake Station	36.4985	119.1052	TUU	FALSE	FALSE	WOOD
Hammond	36.4679	118.8543	TUU	FALSE	FALSE	HAM
Fresno Air Tanker Base	36.7428	119.7192	FKU	FALSE	FALSE	FRESNO
Porterville Air Tanker Base	36.03	119.063	SQF	FALSE	FALSE	PORT
Peppermint Heliport	36.073	118.542	SQF	FALSE	FALSE	PEPPER
Ash Mtn. Heliport	36.4955	118.8175	KNP	FALSE	FALSE	ASHMTPORT
Trimmer Heliport	36.9102	119.3026	SNF	FALSE	FALSE	TRIMPORT

After you enter the values, they will be converted to decimal degrees, which is how they are stored internally.

Leave AutoRoute blank (or False) for now.

Set EarthUse to True if you want WildWeb to show this Dispatch Location (more information later about WildWeb.)

Line Up Groups

Sys Admin => Resources => LineUp Groups

You might want to start by creating a Line Up group for all of your own Resources. Or, create several if you receive morning status from Districts, Field Offices, etc. Create a separate one for each agency in your center if the morning Line Up comes in separately for each.

Next, create a Line Up group for each cooperator sending you morning status. Use the "Sequence" number to control the order of the "tabs" on the Line Up screen.

Resource Types

Sys Admin => Resources => Resource Types

Each Resource you add will belong to one of the Resource Types you use.

The Sequence number merely controls the order in which responding Resources are listed on the Incident screen.

In this example, any Engines will be shown first, followed by Crews, Dozers, etc. You can always change the sequencing once you see the effect as you start running incidents.

	Describe	Sequence	TimerMin	Code	IsAircraft	OnMap	WAV_File
	Air Attack	70	15	AA	TRUE	FALSE	AA.wav
	Air Tanker	60		AT	TRUE	FALSE	
	Crew	20		CRW	FALSE	FALSE	
	Dozer	30		DOZ	FALSE	TRUE	
	Engine	10		ENG	FALSE	TRUE	
	Helicopter	50	10	HEL	TRUE	FALSE	
	LE Officer	110	4	LE	FALSE	FALSE	
	Lead Plane	80		LP	TRUE	FALSE	
	Overhead	100		OVH	FALSE	FALSE	
	Prevention	90		PRV	FALSE	FALSE	
	Water Tender	40		WTR	FALSE	FALSE	
*							

WildCAD allows you to set "Timers", or reminders for Resources. The TimerMin entry is used as the default number of minutes for the Timer to run for each type of Resource. OnMap controls whether these Resources are shown on the Local Google Earth map.

The "WAV_File" allows you to specify a unique Timer sound by type of Resource.

Resources

Sys Admin => Resources => Resources

For this type of data entry screen, you will start with all fields being empty. You may enter the information, and when done, click "Save". Click "Clear" to clear the fields in preparation of entering new records.

Resource ID Keep this as short as possible, since it will be displayed on numerous reports and lists. For example, use E31, not ENG31SQF

Description Type the name or description.

Unit, Home Location, and *Type* of resource and *Line Up Group* are Pull down lists you created earlier.

Disp Seqc means "Dispatch Sequence". For stations with more than one of the same type of Resource, you can control the Sequence = i.e. who goes first! Please be aware that cover Resources will automatically be dispatched *after* all "home" Resources have been sent.

LineUp Seq means "Line Up Sequence". You can control the *order in which Resources are listed* on the morning Line Up screen. This has nothing to do with the order in which they are dispatched - merely the appearance on the screen.

Foreign Resource If this is not one of your regular Resources, but is only here temporarily, Check the box to make it a Foreign Resource. That way, all dispatchers will be able to edit the screen for this Foreign Resource. Otherwise, only you as System Administrator can manipulate the records.

List On Inc Rep Check this box if you want this Resource listed on the printed Incident Reports.

List on WildWeb Unless this is checked, this Resource will not show on the internet reports from WildCAD called WildWeb.

Share ID Enter a complete identifier if you want to share status about this Resource with other WildCAD Centers. You must then also check **Share Status with WildShare**.

Resc Cat/Type Use the pull down menu to select the Resource Category/Type.

FI File Check to have this Resource shown by default to use the law enforcement Field Interrogation File screen.

Image If you have placed a scanned image file in the WildCAD folder, place its filename here and click "=>" to view the image
.
Comments may be entered and edited in the space provided.

Purged (archived) Check this to "delete" the Resource. You can always "un=purge" it later!

Search Functions

To search for Resources already in the database,

- First select the "Active Only" or the "Purged Only" buttons,
- Click "Clear" to clear the form.
- Click "Begin Search" to retrieve all of the Resources on file.
- Use "First", "Next", "Previous", and "Last" to move among the records.

To search for particular records, enter all or part of the Unit ID before "Search". As one example, entering "E" will find all Resources whose ID starts with "E". You cannot delete resources from the database; only archive them so the resources do not appear as active Resources.

Active Only Select before searching to view Active (not Purged) Resources.

Purged Only Select before searching to view Purged Resources.

Administrator Station Dispatch Priority

Sys Admin => Resources => Administrator Station Dispatch Priority

To change the order in which Resources are dispatched, highlight one Resource and click "Up" or "Down".

Rotation Builder

Sys Admin => Resources => Rotation Builder

WildCAD allows you to create many different "rotations", such as Engines, Crew, etc.

.
To add a new rotation list, type its name in the bottom left, and click "Add". It will then be added to the list on the left.

Highlight it (to work with it), and then you may add the actual engines, crews etc. which are to be rotated. Type them in the lower right, and click "Add=End" to add to the end of the list, "Add=Top" to insert at the top, or "Add=After Selected" to add after any item which is selected on the right.

In the example shown, engines are to be rotated: ENG72KNP, then ENG31SQF, then ENG41KNP, etc. You only list the complete list (in these case 7 items) once. WildCAD knows to start over once the bottom of the list is reached.

RESPONSE AREAS

Response Level Areas

Sys Admin => Response Areas => Response Level Areas

Create a list of Response Level Areas (RLA)

Each Response Area "lives" within one Response Level Area (RLA). If, in fact, the Response Area contains two or more RLAs, you should either divide the Response Area into more than one, or choose one RLA, which you are comfortable using to represent the fire danger in the entire Response Area.

Response Areas

Sys Admin => Response Areas => Response Areas

Sys Admin	Edit	Incidents	V
Center Operations	▶
Resources	▶
Response Areas	▶	Response Level Areas
Dispatch	▶	Response Areas
Configure Incident Tabs	▶
Maps	▶
Imports	▶
Information Sharing	▶
Database Management	▶

Response Areas

	AreaCode	Describe	Lat	Lon	Resp Level Area	Assoc Station	Comment	Active
▶	12	Cedar Grove	36.7974	118.634	532	CEDAR	KNP DPA	TRUE
	17	Stoney Creek	36.6817	118.8504	532	GRANT	SQF DPA	TRUE
	18	Cherry Gap	36.7829	118.9586	532	LAKE	SQF DPA	TRUE
	19	Kings River & Hwy 1:	36.8118	118.7963	532	CEDAR	SQF DPA	TRUE
	20	Camp 4	36.8589	119.1415	532	TRIM	SQF DPA	TRUE
	21	Speical Managemen	36.8444	118.9963	532	TRIM	SQF DPA	TRUE
	22	Monarch Wilderness	36.8263	118.7602	532	CEDAR	SQF DPA	TRUE
	23	Monarch Wilderness	36.7829	118.8685	532	LAKE	SQF DPA	TRUE
	24	Big Meadows	36.754	118.8144	532	LAKE	SQF DPA	TRUE
	25	Jennie Lakes Wilden	36.6962	118.7783	532	LAKE	SQF DPA	TRUE
	3	Chimmey Rock	36.6528	118.8865	532	GRANT	KNP DPA	TRUE
	4	Big Baldy	36.6962	118.865	532	GRANT	KNP DPA	TRUE
	5	Grant Grove	36.7395	118.9586	532	GRANT	KNP DPA	TRUE
	FKUG6	Owl Mountain	36.8589	119.2504	539	SQUAW	CDF DPA	TRUE
	G2	Indian Hill	36.6417	119.0564	539	BAD	CDF DPA	TRUE
	G5	Badger	36.6329	119.0048	539	BAD	CDF DPA	TRUE
	G7	Whitaker Forest	36.6994	118.9484	539	PINE	SQF DPA	TRUE
	G8	Eshom	36.6561	118.9304	539	BAD	SQF DPA	TRUE
	G9	Redwood Creek	36.685	118.8764	532	GRANT	KNP DPA	TRUE
	H1	White Deer Flat	36.7974	119.157	539	SQUAW	CDF DPA	TRUE
	H6	Dunlap	36.7251	119.1029	539	SAND	CDF DPA	TRUE
	H7	Miramonte	36.6962	119.157	539	MIRA	CDF DPA	TRUE
	TUUG6	Shade Quarter	36.5694	118.9664	539	WOOD	SQF DPA	TRUE
	Z1	Delilah	36.7829	119.1029	539	SQUAW	SQF DPA	TRUE
	Z2	Pinehurst	36.7106	119.0127	539	PINE	SQF DPA	TRUE
*								

AreaCode It is crucial that the "Area Code" (ID) entered for each Response Area precisely matches the information in the Response Area GIS layer attribute table.

Describe Enter a name or description.

Lat/Lon As when entering lat/long earlier, you may use any combination of degrees, minutes, and seconds, with decimal portions. Use the comma to separate degrees, minutes, and seconds, and the period to enter decimal portions.

Reps Level Area Select the RLA for each Response Area from the pull=down list of RLA's you previously entered.

Assoc Station If you select an "Associated Station", then when Resources become "Available on Scene", their location will be set to this station for purposes of dispatch priority.

Comment Although you may enter Comments for the Response Area on this screen, it is recommended that you use Batch Comments instead.

Active Set to False for any Response Area no longer in use. It will be removed by WildCAD during the Archive process if it is no longer associated with any Incidents.

DISPATCH

Response Types

Sys Admin => Dispatch => Response Types

Incident Types

Sys Admin => Dispatch => Incident Types

The Incident Type Code cannot be edited but you can select which Types you want to display by selecting True or False in the "Include" column. Select a color for each Type to show on the "Open Incidents" screen.

You may specify default frequencies by Incident Type in the final 3 columns.

IncidentTypeCode	Describe	RespTypeID	Sequence	Include	QBColor	DragStatus	Ground	Air	Victor
Wildfire	Wildfire	FIRE	1	TRUE	Blue	ommitted	N/A	N/A	N/A
Strc Fire	Structure Fire	FIRE	2	TRUE	Black	ommitted	N/A	N/A	N/A
Veh Fire	Vehicle Fire	FIRE	3	TRUE	Cyan	ommitted	N/A	N/A	N/A
Smoke Chk	Smoke Check	FIRE	4	TRUE		ommitted	N/A	N/A	N/A
Med Aid	Medical Aid	MEDAID	5	TRUE		ommitted	N/A	N/A	N/A
Emerg Stby	Emergency Standby	-1	6	TRUE		ommitted	N/A	N/A	N/A
Pub Asst	Public Assist	-1	7	TRUE		ommitted	N/A	N/A	N/A
Law Enf	Law Enforcement	LAWENF	8	TRUE		ommitted	N/A	N/A	N/A
Misc	Miscellaneous	-1	10	TRUE		ommitted	N/A	N/A	N/A
Trfc Coll	Traffic Collision	-1	11	TRUE		ommitted	N/A	N/A	N/A
Presc Fire	Prescribed Fire	-1	12	TRUE		ommitted	N/A	N/A	N/A
A/C Down	Aircraft Down	-1	13	TRUE		ommitted	N/A	N/A	N/A
Resc Order	Resource Order	-1	14	TRUE		ommitted	N/A	N/A	N/A
Hazmat	Hazmat	-1	15	TRUE		ommitted	N/A	N/A	N/A
SAR	Search & Rescue	-1	16	TRUE		ommitted	N/A	N/A	N/A
WFU	Wildland Fire Use	FIRE	17	TRUE		ommitted	N/A	N/A	N/A
Aircraft	Aircraft	FIRE	18	TRUE		ommitted	N/A	N/A	N/A
NatDisastr	Natural Disaster	-1	19	TRUE		ommitted	N/A	N/A	N/A

Incident Sub Types

**Sys Admin => Dispatch => Incident SubTypes**

Use the Incident Subtypes to display a more detailed definition of the Incident Type; you may list as many Subtypes as desired for each Type. The sequence is related to each Type so you may have different sequence runs in the table.

Response Levels

Sys Admin => Dispatch => Response Levels

WildCAD allows you to develop standard responses based on up to six levels. Low, Moderate, and High (etc.) can be based on your choice of fire behavior or other factors, for each Fire Danger Rating Area. You may edit the Description of each Response Level to match the nomenclature you use in your center.

Dispatch Strategies

Sys Admin=>Dispatch=>Dispatch Strategy

You have the opportunity to develop dispatch strategies for different "Response Types", and at each "Response Level".

For now, we will focus on the "Fire" Response Type, which is used (as a default) for Vegetation Fire, Vehicle Fire, Structure Fire, and Smoke Check Incident Types.
The left part of this screen, shown below, is used to select the Response Area (left). At the bottom, select the Response Type.

We then establish the station *priority to be used* for searching for available Resources to send. In other words, for a "Fire" Response in Area 12, which Station would be first to send Resources? Which would be second?

We manually create the list of priorities. Initially, all Dispatch Locations will be in the left list. We highlight one, and then click the right arrow "=>>" to move it into the Priority list. To move it to a particular spot, highlight an entry in the right list prior to clicking on the right arrow.

To help you decide station priorities, WildCAD displays the Stations in order of air miles from the Response Area, and those air miles are shown before the Station. For example, the Cedar Station is 2 miles away from Area 12.

In this example, the first priority for dispatching to Area "12" is station CEDAR.

To remove an item from the prioritized list, highlight it and click the left arrow. To move it up or down in the prioritization, click the up or down arrows.

The lower right part of the Dispatch Strategy screen deals with quantities of Resources to send.

A dispatch strategy merely states how many Resources, of each type, should respond to an incident in each Response Area. For example, if a fire is reported in "Area 12", how many engines should respond if the fire danger is "Low"? How many more should respond if the fire danger is "Moderate"? "High"?

In the case shown above, how many Engines are needed at a "High" response? The answer is 2.

Lastly, the upper right portion of this screen shows two kinds of information. Whenever we click

	Show Typical:	
Low	High	
Mod	2nd Al	

High response to Area 12: ○ Incr ⦿ Cumm

AA15	E32	P51
AT100	H552	
C6	B31	
C3	D3	
E41	P32	

	Type	Low	Mod	High	2nd Al	3rd Al	4th Al
✎	AA			1			
	AT			1			
	CRW		2				
	DOZ						
	ENG	1	1		1		
	HEL		1				
	LE						
	LP						
	OVH		2				
	PRV		1	1			
	WTR						

on a station in one of the lists on the upper left, the top right portion of this screen will tell us those Resources which are normally based there.

Suppose you have prioritized stations and listed quantities. If you want to see what the typical dispatch would look like, click on one of the Response Levels (Low, Mod, High, You can view the Cumulative ("Cumm") dispatch, or only the Incremental ("Incr") Resources sent beyond the prior Response Level.

The Dispatch Strategy is key to the successful automated dispatch within WildCAD. However, it is as much an art as a science, and will take some experience to make it work to your satisfaction. There is no substitute for dispatcher and management knowledge of the area and of the Resources.

You may copy a list of prioritized stations from one Response Area to another by first selecting the source Response Area and then clicking "Copy Priorities".

You will see: Click "Yes" to copy the prioritiz*atio*n of stations. This is an extremely valuable shortcut. Develop the priority list for one Response Area, and then copy it for use as a neighboring Response Area. Then, make any needed adjustments.

Clicking "Copy Quantity" will display. Click "Yes" and the quantities from Area 12 will be copied into the currently selected Response Area.

Copy Dispatch Strategy

Sys Admin => Dispatch => Copy Location Priorities

After establishing the list of station priorities for each Response Area for the "FIRE" Response Type, you might want to copy all of those lists to another Response Type. You could then edit that list as needed. Use the "Copy Location Priorities" menu item on the Dispatch menu to accomplish this. Select the FROM and TO Response Type, and Click "OK".

Report Dispatch Strategies

Sys Admin => Dispatch => Report Dispatch Strategies

You may also want to print a report of the priorities you have established. Select the desired Response Area(s), and Click OK.

```
File: C:\WCADtemp\SETUPDIS.TXT                                    _ □ X

03-14-2013                                                    17:23:04
                              WildCAD
                 Bighorn Emergency Commuications Center

                 Dispatch Strategy for Response Area 18 (Cherry Gap)


Response Priority:
==================
        LAKE, GRANT, PINE, LODGE, HUME, CEDAR, BAD, MIRA, SQUAW, SAND
        PIE, TRIMPORT, TRIM, WOOD, HAM, ASHMTPORT, ASH, FRESNO, PORT, PEPPER


Responding Resource Quantities:        Low      Mod      High     2nd Al   3rd Al   4th Al
===============================        =====    =====    =====    =====    =====    =====
                            ENG         1                 2        1
                            CRW                  3        2
                            WTR                           1
                            HEL                  1        1        1
                            AT                   1        1
                            AA                            1
                            PRV         1
                            OVH         1        1


Response Area Comments (ALL Response Types):
============================================
SQF DPA
Notify Aircraft of Powerline
2nd Alarm Move-up an Engine
```

Resource Status

Sys Admin => Dispatch => Resource Status

Sys Admin	Edit	Incidents	View	Links	Reports	Utilities

Center Operations ▶
Resources ▶
Response Areas ▶
Dispatch ▶   Response Types
Configure Incident Tabs ▶   Incident Types
Maps ▶   Incident SubTypes
Imports ▶   Response Levels
Information Sharing ▶   Dispatch Strategy
Database Management ▶   Copy Dispatch Strategy
   Report Dispatch Strategies
   Resource Status

StatusCode	Use
▶ Standby	TRUE
Delay30	TRUE
Avail Page	TRUE
Avail Inc	TRUE
Cover	TRUE
Overnight	TRUE
Avail Cell	TRUE
DO Avail	TRUE
DO InSvc	TRUE
DO OutSvc	TRUE
Unav-Mech	TRUE
Day Off	TRUE
InSvc Unav	TRUE
InSv Delay	TRUE
Aval Delay	TRUE

Although the Status Codes themselves are fixed, you may indicate which Resource Statuses should be used in your Center.

WILDCAD

Users must close and restart WildCAD to realize any changes to Statuses being used.

OK

CONFIGURE INCIDENT TABS

Build Batch Comments

Sys Admin => Configure Incident Tabs => Build Batch Comments

Response Area comments are displayed whenever an Incident is being dispatched in WildCAD. There are two methods for entering comments. The first method is to enter comments on the Response Area entry/edit screen.

Batch comments are created by the System Administrator and can then be attached to one or more Response Areas.

To add a batch comment select the Response Type at the top right. Then type the comment into the blank area at the bottom of the screen, and Click the "Add" button. It will be added to the list of comments in the left half of the screen.

To associate a comment with one or more Response Areas, select the comment from the list on the left. You may then select those Response Areas on the right which should have this comment. In this example, 3 Response Areas are identified as being "Wilderness Areas", and that fact will be displayed when you are managing an incident for any one of those Areas.

To delete a batch comment, highlight it on the left, then Click the "Delete" key.

Sequence Batch Comments

Sys Admin => Configure Incident Tabs => Sequence Batch Comments

After attaching Batch Comments to Response Areas, you may specify the order in which they will appear on the Incident screen and report.

Select a Response Type in the upper right, and a Response Area on the left to see a list of its Batch Comments on the right. Highlight one of those comments, and you may then move it "Up" or "Dn" using the buttons.

Area Notifications

Sys Admin => Configure Incident Tabs => Area Notifications

To add an Area Notification select the Response Type at the top right. Then type the comment into the blank area at the bottom of the screen, and click the "Add" button. It will be added to the list of notifications in the left half of the screen.

To associate a notification with one or more Response Areas, select the notification from the list on the left. You may then select those Response Areas on the right which should have this notification. In this example, 13 Response Areas are identified as needing "Duty Officer" notification, and that fact will be displayed by listing "Duty Officer" in red when managing an incident for any one of those Areas.

To delete an area notification, highlight it on the left, then Click the "Delete" key.

Frequencies

Frequency Types

Sys Admin => Configure Incident Tabs => Frequencies => Frequency Types

The Frequency Types menu lets you establish categories of Frequencies:

Default Frequencies

Sys Admin => Configure Incident Tabs => Frequencies => Default Frequencies

Dispatchers are able to assign frequencies to an Incident in WildCAD. They can pick from a list of "commonly used frequencies" which you have created, or they may enter a different one. Then, use Default Frequencies to enter the actual Frequencies.

FrequencyTypeID	Sequence	Describe
Ground	100	CH1-168.675
Ground	110	CH2-Tx170.575/Rc168.675 Tone 1 110.9
Ground	112	CH2-Tx170.575/Rc168.675 Tone 2 123.0
Ground	113	CH3-168.775
Ground	114	CH4-Tx170.600/Rc168.775 Tone 1 110.9
Ground	115	CH4-Tx170.600/Rc168.775 Tone 2 123.0
Ground	116	CH5-168.200 Crew Net
Air Tactics	101	169.150 AirTactics 2 SQF,KNP,Interagency
Air Tactics	120	170.000 Air/Ground
Air Tactics	130	168.650 National Flight Following
Victor	102	135.975

Incident Number Types

Sys Admin => Configure Incident Tabs => Incident Number Types

Use to create or edit the "Numbers" tab in the Incident screen.

Move Ups

Sys Admin => Configure Incident Tabs Dispatch => Move Ups

For preplanned move up:
- Select the Area, Response Type, Response Level
- Pick the resources to move
- Select the move up location
- Click the "ADD" button

This will display
on the Move up
tab of the
Incident Screen

Contracts

Enter the Contract types then the Sub types. The information for the contractors is entered in the Edit- Contracts screen, and displayed on the Contracts tab of the Incident screen which shows proximity of the contractors and documents Fill/Decline/UTF information.

Contract Types

Sys Admin => Configure Incident Tabs => Contracts => Contract Types

Contract Sub Types

Sys Admin => Configure Incident Tabs => Contracts => Contract Sub Types

	Contract SubType	Name	Address	Phone	Equipment	Fee	License	Lat	Lon
▶	Ice: Other	Cold Delivery	5678 Main St	888-555-4321	Block, cube	$200 + $2/lb + miles	A43215	35.916	118.214
	Ice: Other	Frigid Friends	1234 Some St	800-555-1212	Block, cube	$100 + $1/lb + miles	C12345	44.218	121.1
	Porta Potties: Other	Pee Free	1503 Newport	800-555-9999	25 portables	$100/day	D43261	37.395	122.014
✳									

Fires Tab

Categories

Sys Admin => Configure Incident Tabs => Fires Tab => Categories

On the Fires Tab Categories screen above, fill in up to 20 Categories for Initial Report and up to 20 for Fire Information. Under "Data", select either "Pull=down list" or "Free text". Sequence the items, and provide a Description.
If you create a "Pull=down list" category, use the screen below to add/edit entries for the pull=down list. Select the Category, then Add/Delete entries.

Pull Down Lists

Sys Admin => Configure Incident Tabs => Fires Tab => Pull Down Lists

ICP Phone Categories

You can edit up to 6 Categories, but cannot delete the rows. Delete any entry in the Describe column to tell WildCAD to not use it.

Sys Admin => Configure Incident Tabs => ICP Phone Categories

Questions

Sys Admin => Configure Incident Tabs => Questions

Enter a new "Question" in the lower left, click "Save", and then click on it in the list in the upper left. Finally, select those Incident Types which should display this question.

Aviation Report

Sys Admin => Configure Incident Tabs => Aviation Report

The list of available information appears on the list. Select either TRUE or FALSE to indicate whether you want that item included.

Maps

GIS Parameters

Sys Admin => Maps => GIS Parameters

Projection Information

- **UTM Zone** Specify the UTM Zone number.
- **Datum** Select the GIS Datum to be used (probably NAD 83)

Full Extent GIS Layer Name Select one GIS layers cover to be the "full extent" of the area served by the dispatch center.

Response Areas GIS Layer Name The layer created for the Response Areas.

Response Area ID Field Name The name of the field which holds the Area ID in the Response Areal Layer.

PLSS GIS Layer Name The name of your PLSS GIS layer (in the WildCAD\GIS\ folder).

FileName of BIS PLS File Enter the name of the PLSS database provided to you by Bighorn Information Systems. It must reside in your WildCAD folder where WildCAD.exe is located.

PLS Layer Type Unfortunately, there are different standards in use for PLS layers across the country. To date, the CA/AZ/WA, NV, UT, ID, CO, OR, MT, WY, MTKDC, IDMT2, ID2009, WI, and OREIC formats are recognized by WildCAD.

Default Base Meridian Specify the code for the most commonly used Base Meridian.

Specify GIS Layers

Sys Admin => Maps => Specify GIS Layers

WildCAD can display ArcView Shape Files and TIFF (or MrSID) Image Files. Use the SysAdmin, Map, Specify GIS Layers menu item to tell WildCAD about the GIS files you have. Recall that all of them must be stored in the WildCAD\GIS folder. A Shape File really consists of three files: .dbf, .shp, and .shx. A TIFF Image File includes the .TIF and .TFX. A MrSID file includes a .SID and .SDW file. All layers must be projected using UTM coordinates.

WildCAD is able to convert to and from the Public Land Survey System (PLSS) and lat/long or UTM.

In order to determine the legal description of a point on the map, WildCAD requires a GIS layer in the ArcView Shape File format. Bighorn Information Systems will provide this layer to you, if we receive original source layers from your agency. The layer will consist of three files, with extensions .dbf, .shp, and .shx. An example of the filename for all three might be "PLSsqf11".

These three files must be placed in the GIS folder beneath your WildCAD installation folder.

In addition, Bighorn will provide you with a database which is used to quickly convert from legal description to lat/lon or UTM. This file, an example of which is called "BISPLSNV.mdb", must be copied into your WildCAD installation folder.

Although you may have as many layers as you want, two layers are required for the proper operation of WildCAD:

1. The PLSS layer.

2. A Response Area layer which is a polygon layer where each polygon is attributed with a Response Area ID (text 6 characters). This layer may be called anything, and its .dbf, .shp, and .shx files must be placed into WildCAD's GIS folder on the WildCAD Base Computer. You will need to know the name of this layer, and the name of the database field which holds the Response Area ID.

**Optional Files - Additional GIS Layers**

As stated above, you may have numerous other GIS layers for use in WildCAD, Each must be projected into your UTM zone, and each must be placed (.dbf, .shp, and .shx) into the WildCAD\GIS\ folder.

WildCAD can also view image files in the TIFF format, as long as they have been georeferenced to the correct UTM zone. TIFF files which are georeferenced for use in WildCAD will come in pairs. The first, containing the image itself, will have an extension of ".TIF", and the second, which contains spatial coordinates, will have the same filename with an extension of ".TFW". Both of these are placed into the WildCAD\GIS\ folder. TIFF files which have been compressed into the format called MrSID can also be used in WildCAD.

List the GIS layers you want displayed within WildCAD on this screen.

You may specify an "Outline Color" to be shown on WildCAD's map. You may also specify a "Layer Show" parameter. If you do, the layer will not be displayed until you have "zoomed in" that many times. In this example, the PLSSQF11 layer will remain invisible (until we zoom in 999 times!). Sequence determines the order in which your GIS layers will be loaded.

Enter a DisplayName and a DisplayField if you want information from that layer to be displayed on the map every time you click on the map. In the example below, "DPA" information will be displayed, and WildCAD will collect that information from a field in the shape file called "code3".

Map Layers

LayerTypeID	FileName (Including .SHP, .TIF, or .SID)	OutlineColor	LayerShow	Sequence	DisplayName	DisplayField
SHAPE	resp.shp	Red				
SHAPE	plssqf11.shp		999	20		
SHAPE	sra_u11.shp		999	10	DPA	code3
SHAPE	disploc.shp	Blue	3	20		
IMAGE	sqfhume.sid			10		
*						

Build Shape Files

WildCAD has the ability to create several ArcView format Shape Files.

To create the Shape File, use the appropriate menu item. The newly-created Shape Files will be added to your list of Map Layers.

Build Place Names Shape File

Sys Admin => Maps => Build Shape Files => Build PLACNAME.SHP

Build VOR Shape File

Sys Admin => Maps => Build Shape Files => Build VOR.SHP


Build Dispatch Locations Shape File

Sys Admin => Maps => Build Shape Files => Build DISPLCO.SHP

Shape File from Text File

Sys Admin => Maps => Build Shape Files => Build Shape File from Text File

Navigate to a text file (.txt or .csv) containing point data, and – as long as there are columns titled "LAT" and "LON" or "LATITUDE" and "LOGITUDE", WildCAD will build a shape file for you and place it in your WildCAD Base Computer's \GIS\ folder. You will still need to add it to your Layer List using "Specify GIS Layer".

Build Milepost Shape File

Sys Admin => Maps => Build Shape Files => Build MILEPOST.SHP

If you imported Mile Posts, you can prepare a shape file from that data:

Build Hazard Shape File

Sys Admin => Maps => Build Shape Files => Build Hazard.SHP

WildCAD can build a shape file of any Hazards you have entered into WildCAD.

Place Names

Sys Admin => Maps => Place Names

Dispatchers will be able to find locations in WildCAD by using a list of "Place Names". System Administrators create and edit this list.

In addition, you may add place names from the WildCAD map itself.

From the map, click the "Find" button to open up the Find Map Location Screen. Click on the spot on the map where you want the new location to be stored. Or, "Find" a lat/lon. Then, enter the new name for the placename, and click "Add PlaceName".

You may also edit the lat/lon for an existing place name from the map. "Find" the place name, click on the correct map location, and then click "Update PlaceName".

Map Locations (VOR/ATB/Lookouts)

Sys Admin => Maps => Location (VOR/ATB/Lookouts)

Edit or add VORs, Airtanker Bases, Lookouts or Helibases using this screen.

Hazards

Sys Admin => Maps => Hazards

Add any hazards you want brought to the attention of Dispatchers whenever they manage an Incident within a specified number of miles of the hazard.

|	Describe	Lat	Lon	AlertMiles
	Power Line	36.7566	119.1642	5
*				

IMPORTS

Configure ALDS Lightning

Sys Admin => Imports => Setup ALDS Lightning Imports

To create the criteria for the Lightning download, enter you current UserName and Password, remember this has to be changed at the same time you change the Password in the BLM Lightning system.

- Enter the Lat/Longs for the area
- Enter the Number of days data to retrieve (10 days Max)
- Enter Number of hours of data to display.
- Enter the number of hours your center is behind Greenwich Mean Time. (PST is 8 hours behind)

Lightning ✕

Login To BLM Lightning System:

UserName: BBOOHER

Password: ●●●●●●●●●●●

Desired Location (decimal degrees):

N Lat:

W Lon: 37.0 E Lon:

119.5 116.2

S Lat:

30.0

Time Frame:

Retrieve How Many Days: 20

Maximum Hrs To Display (1-200): 200

# of Hours Behind GMT: 6

Import USGS Place Names

Sys Admin => Imports => Import USGSPlace Names

Sys Admin Edit Incidents View Links Reports Utilities

Center Operations ▶
Resources ▶
Response Areas ▶
Dispatch ▶
Configure Incident Tabs ▶
Maps ▶
Imports ▶ Setup ALDS Lightning Imports
Information Sharing ▶ Import USGSPlace Names
Database Management ▶ Import Place Names with Decimal Lat/Lon
Download RAWS Stations
Download Updated VOR List
Import Mile Post Information

Include with the program is a file "USGSplaces.mdb" that is installed in the WildCAD folder.

To extract the Place Names for your unit enter the Northwest and Southeast Lat/Long's and Click the import button. If you have entered Place Names manually then do not select the Delete button. You only need to do this one time for your dispatch center.

Import USGS Place Names with Decimal Lat/Long

Sys Admin => Imports => Import USGSPlace Names with Decimal Lat/Long

Used to import Place Names from an ASCII csv file with Name, Lat, Lon.

```
Name,Lat,Lon
Stewart Mountain (Cherokee),34.987581,-84.294087
Ace Creek (Swain),35.582321,-83.266262
Adams Hollow (Swain),35.523977,-83.794619
Aden Branch (Swain),35.598152,-83.399324
Aiken Branch (Swain),35.460085,-83.921291
Allen Cemetery (Ashe),36.438734,-81.661777
Anderson Creek (Cherokee),35.148969,-84.203528
Anthony Branch (Swain),35.543426,-83.588777
Antioch Cemetery (Watauga),36.246793,-81.832057
Antioch Baptist Church (Watauga),36.246515,-81.828446
Apalachia Dam (Cherokee),35.167828,-84.295337
```

Import Place Names From .csv File   ×

C:\Program Files (x86)\WildCAD\PlaceNames.csv

☑ Delete ALL Place Names first   Import

WILDCAD   ×

14127 Place Names imported.

OK

Download RAWS Stations

Sys Admin => Imports => Download RAWS Stations

Sys Admin Edit Incidents View Links Reports Utilities

Center Operations ▶
Resources ▶
Response Areas ▶
Dispatch ▶
Configure Incident Tabs ▶
Maps ▶
Imports ▶   Setup ALDS Lightning Imports
Information Sharing ▶   Import USGSPlace Names
Database Management ▶   Import Place Names with Decimal Lat/Lon
                          Download RAWS Stations
                          Download Updated VOR List
                          Import Mile Post Information

Use the Download RAWS Stations to define an area to extract the RAWS station information. Enter a Lat/Long of the center of your dispatch area and the degrees from that point you want to extract. The current list will be deleted and rebuilt from the import.

Download Updated VOR List

**Sys Admin => Imports => Download Updated VOR List**

To create a VOR table that has more site specific data enter the Lat/Long and degrees. This will create a list of all the VOR's within the selected area. The data will display in the Dist/Bearing and the Aircraft tabs of the Incident screen

Import Mile Post Information

Sys Admin => Imports => Import Mile Post Information

You may import Mile Post information into WildCAD, but the source data must be in a precise format, a .csv file with 4 entries per row:
1. Street name
2. Milepost number
3. Decimal latitude
4. Decimal longitude

Navigate to your .csv file, and click "Open".

You can direct WildCAD to delete any existing Mile Posts prior to importing from this file.

Delete First?

DELETE all MilePosts presently on file prior to importing?

Yes   No   Cancel

WILDCAD

8 MilePosts imported.

OK

INFORMATION SHARING

WildWeb6

Sys Admin => Information Sharing => WildWeb

WildWeb6 - WildWeb6 operates just like WildWeb for WildCAD5, except that the file is called WildWeb6.exe.

To display your Incident information on WildWeb, check the box indicating the current workstation runs WildWeb. The workstation must be on to be able to upload the data to the WildWeb server. The remote address is preinstalled, if you have an Intranet site you want to use, enter the URL, FTP UserName, and Password. Select how you want information to show on WildWeb, and select the Fields to be shown.

WildShare

You may view information about Resources in other WildCAD Centers (if they are sharing them) by creating a list of their Resources, and/or a list of Centers. If you include a Center, you will see all Resources that Center is sharing.

Resources to View

Sys Admin => Information Sharing => WildShare => Resources to View

Centers to View

Sys Admin => Information Sharing => WildShare => Center to View

DATABASE MANAGEMENT

Auto Backups

**Sys Admin => Database Management => Auto Backups**

These communications from your Center to the WildCAD Integration Server are handled by a "WindowsService" called WildCADservice.exe which runs on your WildCAD Server.

A "Windows Service" is a program that runs in the background every time a computer is started up. WildCADservice is installed after Microsoft SQL Server during the initial installation of WildCAD6.

There is one additional function for WildCADservice – it runs your auto backups. Backup files are kept in a folder specified when your WildCAD6 was first installed. That folder is normally on your WildCAD Server. It is essential for you as System Administrators to know where this folder is located, and check it regularly to make sure backups are happening.

WildCADservice keeps the 8 most recent backups, deleting older ones. Backups are completed every hour, every 4 hours, or every 12 hours. You select the interval on Sys Admin -> Database Management -> Auto Backups.

Note that this screen also tells you the backup folder. HOWEVER, the path listed is relative to the WildCAD Server, not relative to your PC across the network.

To restore your data:
• We recommend asking Bighorn for assistance prior to restoring a backup.

Restoring a Backup

To restore a backup you must logon to the WildCAD Server itself and then run the Migrate WildCAD SQL Server Utility (WildSQLmigrate.exe).

The steps are:
1. Login onto your WildCAD6 server
2. Make sure you have a backup file (.bak)
3. Stop WildCADservice by putting a file named WildCADservice.STOP into the folder containing WildCADservice.exe
4. Get everyone out of WildCAD6
5. Stop WildWeb6
6. Run WildSQLmigrate.exe
7. Second part of Step 7: Restore, and navigate to the backup file
8. Once done, delete or rename the .STOP file to not end with .STOP

Validate NWCG Unit IDs

Sys Admin => Database Management => Validate NWCG Unit IDs

```
Sys Admin  Edit  Incidents  V
    Center Operations          ▶
    Resources                  ▶
    Response Areas             ▶
    Dispatch                   ▶
    Configure Incident Tabs    ▶
    Maps                       ▶
    Imports                    ▶
    Information Sharing        ▶
    Database Management        ▶    Auto Backups
                                    Validate NWCG Unit IDs
                                    Check for Newer Version of WildCAD
```

This allows you to select an automatic check to see if your Unit IDs are validated by NWCG Standards. Please run this report, and fix any missing or invalid entries.

```
WILDCAD                                                    ⊠

    C:\Users\Aaron\AppData\Local\WildCAD\UnitIDs.pdf has been saved. View?


                                        Yes              No
```

The file UnitsIDs.pdf is created on the local workstation in the current user's standard windows file structure.

```
UnitIDs in WildCAD:

Official UnitID for the Center: CAXAGC
CAXAGC not in UnitID list.


UnitIDs for Units Managed By the Center:
AFV, UnitID = CAAFV: Vandenberg Air Force Base, GACC: SO
FKU, UnitID = CAFKU: CDF - Fresno-Kings Unit, GACC: SO
INF, UnitID = CAINF: Inyo National Forest, GACC: SO
KNP, UnitID = CAKNP: Sequoia & Kings Canyon National Park, GACC: SO
SNF, UnitID = CASNF: Sierra National Forest, GACC: SO
SQF, UnitID = CASQF: Sequoia National Forest, GACC: SO
TUU, UnitID = CATUU: Tulare Unit, GACC: SO
```

Check for Newer Version of WildCAD

Sys Admin => Database Management => Check for Newer Version of WildCAD

Use this menu item to check for the availability of a newer version of WildCAD.